


MI RANGE

INTERNAL COMBUSTION INDUSTRIAL FORKLIFTS




MI RANGE

SPECIFICATIONS



	MI 25G	MI 30G	MI 35G	MI 40G	MI 50G	MI 70G
Capacity (kg)	5,000 lbs. (2260)	6,000 lbs. (2720)	7,000 lbs. (3177)	8,000 lbs. (3650)	11,000 lbs. (5000)	15,400 lbs. (7000)
Engine Power	61 hp (45.8 kW)	61 hp (45.8 kW)	61 hp (45.8 kW)	99 hp (74 kW)	99 hp (74 kW)	99 hp (74 kW)
PowerType	LPG only or LPG & Gasoline (Dual Fuel)	LPG only or LPG & Gasoline (Dual Fuel)	LPG	LPG	LPG	LPG
Carriage	FEM 2A	FEM 3A	FEM 3A	FEM 3A	FEM 3A	FEM 4A
Lift Height (m)	21'4" (6.5)	21'4" (6.5)	21'4" (6.5)	19'8" (6.0)	19'8" (6.0)	19'8" (6.0)
Turning Radius (m)	7'5" (2.27)	8'1" (2.46)	8'3" (2.51)	9'1" (2.78)	9'7" (2.92)	11'0" (3.35)
Length without Forks (m)	8'3" (2.53)	8'11" (2.72)	9'2" (2.79)	10'1" (3.07)	10'8" (3.25)	11'10" (3.60)
Operating Weight	8,587 lbs. (3895)	9,899 lbs. (4490)	10,450 lbs. (4740)	13,892 lbs. (6300)	14,994 lbs. (6800)	21,157 lbs. (9595)





Diesel



	MI 25D	MI 30D	MI 35D	MI 40D	MI 50D	MI 70D
Capacity (kg)	5,000 lbs. (2260)	6,000 lbs. (2720)	7,000 lbs. (3177)	8,000 lbs. (3650)	10,000 lbs. (4560)	15,400 lbs. (7000)
Engine Power	50 hp (37 kW)	50 hp (37 kW)	50 hp (37 kW)	99 hp (74 kW)	99 hp (74 kW)	99 hp (74 kW)
Power Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Carriage	FEM 2A	FEM 3A	FEM 3A	FEM 3A	FEM 3A	FEM 4A
Lift Height (m)	21'4" (6.5)	21'4" (6.5)	21'4" (6.5)	19'8" (6.0)	19'8" (6.0)	19'8" (6.0)
Turning Radius (m)	7'5" (2.27)	8'1" (2.46)	8'3" (2.51)	9'1" (2.78)	9'7" (2.92)	11'0" (3.35)
Length without Forks (m)	8'3" (2.53)	8'11" (2.72)	9'2" (2.79)	10'1" (3.07)	10'8" (3.25)	11'10" (3.60)
Operating Weight	8,587 lbs. (3895)	9,899 lbs. (4490)	10,450 lbs. (4740)	13,892 lbs. (6300)	14,994 lbs. (6800)	22,293 lbs. (10110)



MI RANGE

INTERNAL COMBUSTION INDUSTRIAL FORKLIFTS



LPG,
DIESEL &
DUAL FUEL
MODELS

Up to
21'4" (6.5 m)
Maximum
Lift Height

Lift Capacities from
5,000 to 15,400 lbs.
(2260 to 7000 kg)

- ✓ Multiple LPG, Diesel and Dual Fuel models
- ✓ Engine Range 50 to 99 hp (37 to 74 kW)
- ✓ Adjustable Cab Settings -
Seat, Backrest, and Steering Column
- ✓ Easy to Operate and Maintain
- ✓ Excellent Visibility over the forks
- ✓ Several Mast Options reaching heights
up to 21'4" (6.5 m)
- ✓ Easy Access to the cab from both sides
- ✓ Multi-Function Digital Display
- ✓ Quick Access to Engine, Filters and
other Service Components

 **MANITOU**
HANDLING YOUR WORLD